




Reconfiguration of large-scale surveillance systems

(reconfiguration in Metis)


Peter Novák (with Cees Witteveen)

Algorithmics, EEMCS, Delft University of Technology

Motivation: Metis project

Metis

Continuous monitoring of a maritime coastal zone, detection of anomalies and malicious activities of vessels.



© 2013 Google, Data SIO, NOAA, U.S. Navy, NGA, GEBCO, ©2009 GeoBasis-DE/BKG, © 2013 GeoContent, MarineTraffic

Motivation: Metis project

Metis

Continuous monitoring of a maritime coastal zone, detection of anomalies and malicious activities of vessels.


- thousands of vessels
- dozens of info-sources per ship

Problem

Scalability of the system!

Solution idea

Run-time reconfiguration between vessel run-levels.




© 2013 Google, Data SIO, NOAA, U.S. Navy, NGA, GEBCO
©2009 GeoBasis-DE/BKG, © 2013 GeoContent, MarineTraffic



Talk outline

- 1 Preliminaries
- 2 Configuration & reconfiguration problems
- 3 (Re-)configuration via argumentation
 - Argumentation
 - Configuration as sceptical argumentation
- 4 Conclusion

Info-aggregation system: scheme



Info-aggregation system: scheme



Info-aggregation system: definition

information-aggregation system $\mathcal{S} = (\mathcal{A}, \mathcal{D}, cost)$

database $\mathcal{D}$: a set of variable valuations $\{x \mapsto \{\top, \perp, \emptyset\}\}$

agents $\mathcal{A}$: database updating function objects $A : \mathcal{D} \mapsto \mathcal{D}'$

$cost : \mathcal{A} \rightarrow \mathbb{R}^+$: cost of executing an agent

configuration C of $\mathcal{S}$

$C \subseteq \mathcal{A}$ a set of agents of $\mathcal{S}$

Notation

in_A, out_A input/output variables of an agent A

$D|x, D|in_A$ valuation of a variable/set of variables in D

Database evolution

update of a database D by a configuration C

$D' = C(D)$ iff D' is a result of computation of some agent from C

$\rightsquigarrow$ for each variable x :

$D|x \neq D'|x$ implies $D'|x = A(D|in_A)|x$ for some agent $A \in C$

Database evolution

update of a database D by a configuration C

$D' = C(D)$ iff D' is a result of computation of some agent from C

$\rightsquigarrow$ for each variable x :

$D|x \neq D'|x$ implies $D'|x = A(D|in_A)|x$ for some agent $A \in C$

database evolution and stabilisation

evolution $\lambda = D_0, \dots, D_k, \dots$: for all i , $D_{i+1} = C(D_i)$

normal configuration $C \subseteq \mathcal{A}$: all C -evolutions of $\mathcal{S}$ from some D_0 on, eventually reach *the same* fixpoint

$\rightsquigarrow C^*(D_0) = D^* = C(D^*)$

$\rightsquigarrow$ computations of all agents are reflected in D^* :
 $A(D^*|in_A) \subseteq D^*$ and $A(D^*|out_A) \subseteq D^*$

environment

$\mathcal{E}$ a database schema

evolution a sequence of $\mathcal{E}$ snapshots $\lambda_{\mathcal{E}} = E_0, E_1, \dots, E_k, \dots$

environment

$\mathcal{E}$ a database schema

evolution a sequence of $\mathcal{E}$ snapshots $\lambda_{\mathcal{E}} = E_0, E_1, \dots, E_k, \dots$

system embedded in an environment


information-source agents: no input variables/output variables are shared with the environment

$$\rightsquigarrow in_A = \emptyset \text{ implies } out_A \subseteq \mathcal{D}_{in}^{\mathcal{E}} = \mathcal{E} \cap \mathcal{D}$$

information-aggregating agents: $in_A \neq \emptyset$ and $out_A \neq \emptyset$


embedding of $\mathcal{S}$ in E : computations of information-source agents reflect the state of the environment

Metis info-aggregation system



Metis info-aggregation system

Preliminaries




D_0

D_0, E_0 (stable)	D_1	D_2 (stable)	D_3, E_1	D_4 (stable)	D_5, E_2	D_6 (stable)
$aisID^E$	aisID	aisID	$aisID^E$	aisID		
$aisType^E$	aisType	aisType	$aisType^E$	aisType	$aisType^E$	aisType
	fpID	fpID	fpID	fpID	fpID	fpID
		isSuspectID	isSuspectID	isSuspectID	isSuspectID	
			$track^E$	track	$track^E$	track
				isSuspectType	isSuspectType	isSuspectType

Metis info-aggregation system

Preliminaries




D_1

D_0, E_0 (stable)	D_1	D_2 (stable)	D_3, E_1	D_4 (stable)	D_5, E_2	D_6 (stable)
$aisID^E$	aisID	aisID	$aisID^E$	aisID		
$aisType^E$	aisType	aisType	$aisType^E$	aisType	$aisType^E$	aisType
	fpID	fpID	fpID	fpID	fpID	fpID
		isSuspectID	isSuspectID	isSuspectID	isSuspectID	
			$track^E$	track	$track^E$	track
				isSuspectType	isSuspectType	isSuspectType

Metis info-aggregation system

Preliminaries




D_2

D_0, E_0 (stable)	D_1	D_2 (stable)	D_3, E_1	D_4 (stable)	D_5, E_2	D_6 (stable)
$aisID^E$	aisID	aisID	$aisID^E$	aisID		
$aisType^E$	aisType	aisType	$aisType^E$	aisType	$aisType^E$	aisType
	fpID	fpID	fpID	fpID	fpID	fpID
		isSuspectID	isSuspectID	isSuspectID	isSuspectID	
			$track^E$	track	$track^E$	track
				isSuspectType	isSuspectType	isSuspectType

Metis info-aggregation system

Preliminaries



D_3


D_0, E_0 (stable)	D_1	D_2 (stable)	D_3, E_1	D_4 (stable)	D_5, E_2	D_6 (stable)
$aisID^\epsilon$	aisID	aisID	$aisID^\epsilon$	aisID		
$aisType^\epsilon$	aisType	aisType	$aisType^\epsilon$	aisType	$aisType^\epsilon$	aisType
	fpID	fpID	fpID	fpID	fpID	fpID
		isSuspectID	isSuspectID	isSuspectID	isSuspectID	
			$track^\epsilon$	track	$track^\epsilon$	track
				isSuspectType	isSuspectType	isSuspectType

Preliminaries

7 / 23

Metis info-aggregation system

Preliminaries




D_5

D_0, E_0 (stable)	D_1	D_2 (stable)	D_3, E_1	D_4 (stable)	D_5, E_2	D_6 (stable)
$aisID^E$	aisID	aisID	$aisID^E$	aisID		
$aisType^E$	aisType	aisType	$aisType^E$	aisType	$aisType^E$	aisType
	fpID	fpID	fpID	fpID	fpID	fpID
		isSuspectID	isSuspectID	isSuspectID	isSuspectID	
			$track^E$	track	$track^E$	track
				isSuspectType	isSuspectType	isSuspectType

Metis info-aggregation system

Preliminaries



D_6

D_0, E_0 (stable)	D_1	D_2 (stable)	D_3, E_1	D_4 (stable)	D_5, E_2	D_6 (stable)
$aisID^E$	aisID	aisID	$aisID^E$	aisID		
$aisType^E$	aisType	aisType	$aisType^E$	aisType	$aisType^E$	aisType
	fpID	fpID	fpID	fpID	fpID	fpID
		isSuspectID	isSuspectID	isSuspectID	isSuspectID	
			$track^E$	track	$track^E$	track
				isSuspectType	isSuspectType	isSuspectType

Research question

Which information sources?

Which aggregators?



Detect malicious intents early and cost-efficiently!

Research question

Which information sources?

Which aggregators?



Detect malicious intents early and cost-efficiently!

Security-related systems:

- answer distinguished queries (*isSmuggling?*)
- presumption of innocence: conclusions must be justified

configuration problem $\mathfrak{C} = (\mathcal{S}, \phi, D)$

$\mathcal{S} = (\mathcal{A}, \mathcal{D})$ information-aggregation system

$\phi \in \mathcal{D}$ query variable


D initial snapshot of $\mathcal{D}$.

solution configuration $C \subseteq \mathcal{A}$

- computes a query solution: $\phi \in out_C$
- normal: all C -evolutions eventually stabilise in $C^*(D)$
- conclusions are justified: all input variables of C are also computed by C and crisply valued
- no doubt about query solution: C is maximal, i.e., there is no C' with $C \subset C'$ satisfying the rest, concluding different $D|\phi$


$\rightsquigarrow$ *optimal* solution is the cheapest one!

Metis example



■ query: *isSmuggling?*

Metis example



- query: *isSmuggling?*
- solution: all info-sources + all info-aggregators

reconfiguration problem $\Re = (\lambda_{\mathcal{E}}, \mathcal{S}, \phi)$

$\lambda_{\mathcal{E}} = E_0, \dots, E_k, \dots$ evolution of an environment $\mathcal{E}$

$\mathcal{S} = (\mathcal{A}, \mathcal{D})$ information-aggregation system embedded in $\mathcal{E}$

$\phi \in \mathcal{D}$ query variable

solution configuration sequence $C_0, \dots, C_l, \dots$

each C_i is a solution to $\mathfrak{C}_i = (\mathcal{S}, \phi, D_i)$ and $\mathcal{S}$ reflects $\mathcal{E}$

- $D_0 = D_{\emptyset} \oplus E_0 | \mathcal{D}_{in}^{\mathcal{E}}$

- $D_i = C_{i-1}^*(D_{i-1}) \oplus E_i | \mathcal{D}_{in}^{\mathcal{E}}$

weak solution

C_i is a solution to $\mathfrak{C}_i = (\mathcal{S}, \phi, D_i)$ only if it exists

defeasible logical inference in terms of interdependencies of arguments, rather than their internal structure

argument: an abstract entity determined solely by its relations to other arguments (*blackbox*)

semantics: a set of coherent arguments, an extension

argumentation framework $AF = (\mathcal{A}, attack)$

$\mathcal{A}$ a set of arguments

attack an attack relation $\mathcal{A} \times \mathcal{A}$

Info-aggregation as argumentation $(\mathcal{S}, D)$

configuration argumentation framework $CAF = \langle \mathcal{A}, attack \rangle$

arguments agents of a system $\mathcal{S} = (\mathcal{A}, \mathcal{D})$

attack A attacks A' when it disagrees with an output of A' in D


$\rightsquigarrow$ there exists $x \in out_A \cap out_{A'}$, s.t., $A(D|in_A)|x \neq \emptyset$
and $A(D|in_A)|x \neq A'(D|in_{A'})|x$

valid arguments input is crisply valued and supported by $\mathcal{D}$

Metis argumentation


A natural fit!

(Re-)configuration via argumentation
Argumentation



Metis argumentation

(Re-)configuration via argumentation
Argumentation



cautiously infer only justified & non-controversial conclusions!

incremental extension construction

A valid argument A is acceptable to a conflict-free C iff

- A does not attack any other argument, or
- if A attacks A' , then C already attacks A' and thus supports A

valid argument input is crisply valued and supported by $\mathcal{D}$

cautiously infer only justified & non-controversial conclusions!

incremental extension construction

A valid argument A is acceptable to a conflict-free C iff

- A does not attack any other argument, or
- if A attacks A', then C already attacks A' and thus supports A

valid argument input is crisply valued and supported by $\mathcal{D}$

grounded extension of CAF over $\mathcal{S}$ and $\mathcal{D}$

$GE_{CAF} = F_{CAF}^*(\emptyset)$ the least fix-point of

$$F_{CAF}(C) = \{A \mid A \in \mathcal{A} \text{ is acceptable to } C\}$$


$\rightsquigarrow$ preserves presumption of innocence!

Configuration as sceptical argumentation

(Re-)configuration via argumentation
Configuration as sceptical argumentation

issue: grounded extension always exists,
but sometimes multiple

solution: acyclic/stratified systems
~> **hierarchical (lattice) structure!**



Theorem (config. problem $\mathfrak{C} = (\mathcal{S}, \phi, D)$, with stratified $\mathcal{S}$)

Let C be the grounded extension of $CAF_{\mathfrak{C}}$ over $C^(D)$.*

if $\phi \in out_C$, then C is a solution to $\mathfrak{C}$.

Naïve reconfig algorithm


(Re-)configuration via argumentation
Configuration as sceptical argumentation

```
1: compute the most compact stratification  $\mathcal{A}_0, \dots, \mathcal{A}_m$  of  $\mathcal{S}$ 
2: loop (start with  $i = 0$ )
3:   update  $D$  according to the environment in  $E_i$ 
4:   loop (start with  $j = 0$ )  $\triangleright$  iteratively compute  $F_{CAF}^*(\emptyset)$ 
5:     execute all  $A \in \mathcal{A}_j$  and update  $D$  accordingly
6:     select the valid  $A \in \mathcal{A}_j$ 
7:     extend  $C$  with the selected agents
8:   end loop (increment  $j$ )
9:   if  $\phi \in out_C$  then inform operator about the query solution
10: end loop (increment  $i$ )
```

■ $F_{CAF}^0 = F_{CAF}(\emptyset) \subseteq \mathcal{A}_0, F_{CAF}^i \setminus F_{CAF}^{i-1} \subseteq \mathcal{A}_{i+1}$

■ invariant: $D|out_C \subseteq C^*(D_0) \rightsquigarrow$ theorem exploitation

(Re-)configuration via argumentation
Configuration as sceptical argumentation




Naïve algorithm example

(Re-)configuration via argumentation
Configuration as sceptical argumentation

information sources

A_0




Naïve algorithm example

(Re-)configuration via argumentation
Configuration as sceptical argumentation

inference propagation

A_1




Naïve algorithm example

(Re-)configuration via argumentation
Configuration as sceptical argumentation

$(x \mapsto \emptyset) \in D|_{inCheckSpoofing}$

A_2




Naïve algorithm example


(Re-)configuration via argumentation
Configuration as sceptical argumentation

deferred exec of *isSpoofingID*
query solution inferred, but $\emptyset$

A_3




(Re-)configuration via argumentation
Configuration as sceptical argumentation

$$A_4$$


Naïve algorithm: issues


(Re-)configuration via argumentation
Configuration as sceptical argumentation



1 considers **all information sources**

Naïve algorithm: issues


(Re-)configuration via argumentation
Configuration as sceptical argumentation



- 1 considers **all information sources**
- 2 executes also **irrelevant agents**

Naïve algorithm: issues

(Re-)configuration via argumentation
Configuration as sceptical argumentation



- 1 considers **all information sources**
- 2 executes also **irrelevant agents**
- 3 **does not stop early enough:**
 - 1 when ϕ is safely derived
 - 2 when ϕ is not derivable any more

Cheaper/greedy algorithm

(Re-)configuration via argumentation
Configuration as sceptical argumentation

#1: consider only agents relevant to ϕ


- cheap to collect - no exec cost

#2: always accept a single cheapest agent

- jumps across "layers"
- hence, careful choice

#3: detect "hopeless" computations

- if hopeless, terminate configuration
- cheap to check - no exec cost




Theorem (config. problem $\mathcal{C} = (\mathcal{S}, \phi, D)$, with stratified $\mathcal{S}$)

Let C be the grounded extension of $CAF_{\mathcal{C}}$ over $C^*(D)$.

If $\phi \in out_C$, then $C \cap \mathcal{A}_{\phi}^*$ is the minimal and optimal solution to $\mathcal{C}$.

Metis reconfiguration prototype



Summary & outlook

- 1 modelling framework for info-aggregation systems
- 2 configuration & reconfiguration problems
- 3 ideas from abstract argumentation for system reconfiguration
- 4 Metis prototype description

Summary & outlook

- 1 modelling framework for info-aggregation systems
- 2 configuration & reconfiguration problems
- 3 ideas from abstract argumentation for system reconfiguration
- 4 Metis prototype description

Future research:

- reconfiguration with a limited budget & aging information
- explore relationships to dynamic logic programming, evolving databases, belief revision, etc.
- reconfiguration of probabilistic info-aggregation systems

THANK YOU FOR YOUR ATTENTION.

Questions?

- ▷ The presented research was supported by the Dutch national program COMMIT and carried out as a part of the Metis project under the responsibility of the *TNO-Embedded Systems Innovation*, with *Thales Nederland B.V.* as the carrying industrial partner.
- ▷ original image adapted for the title frame background by zulfinho via flickr.com (CC)